

1200 Series

Standard Replacement Double-Hung Window



PARTNER OF THE YEAR

Andersen Corporation, including its subsidiary Silver Line Building Products LLC, earned the 2010 ENERGY STAR® Partner of the Year award.

Silver Line[®]
WINDOWS • DOORS
an Andersen Company



Standard Replacement Double-Hung Window



1200 Series Double-Hung Window


Features & Benefits:

- Energy efficient insulated glass helps save energy and helps reduce heating and cooling costs
- Fusion-welded vinyl frame and sash create strong, weathertight corners
- Dual weatherstripping virtually eliminates drafts for a more energy efficient home
- Both top and bottom sash tilt in for easy cleaning from inside the home
- A beveled profile offers a sleek design to match any style home
- Grilles are sealed within the glass for easy cleaning

The Silver Line® 1200 Series double-hung window provides aesthetic appeal, energy efficiency and low maintenance, all in a modestly priced window. This replacement double-hung window lets you create a space that will fit your budget and your needs.

Color

These Silver Line® vinyl windows are available in white and beige. The color is consistent throughout the frame and sash, making scratches virtually invisible.



Energy Efficient Glass Options

All Silver Line windows and doors are available with energy efficient, dual-pane glass options to achieve the level of comfort and energy savings you are looking for. This window offers:

LoE2 Glass – Designed to efficiently and transparently reflect heat, this glass helps keep your home warmer in the winter and cooler in the summer. This can help reduce your energy bills while still ensuring exceptional clarity.

LoE3 Glass – This highly efficient glass helps reflect even more heat, resulting in increased comfort and energy savings year-round.

Argon Gas Fill – An odorless, non-toxic gas that helps reduce heat loss, helping to save on heating costs.

ENERGY STAR®




Andersen Corporation, including its subsidiary Silver Line Building Products LLC, earned the 2010 ENERGY STAR® Partner of the Year award.

When shopping for windows, look for windows that have the ENERGY STAR® label. These windows are deemed to be energy efficient by the U.S. Department of Energy. This window meets ENERGY STAR version 5.0 qualifications in all 50 states with optional LoE3 glass and Argon gas.

Hardware

Color coordinated to match the window and designed to provide easy operation.





* Available with flat grilles only

Printing limitations prevent exact color duplication. See your Silver Line supplier for actual color samples.

Silver Line does not warrant that inert gas infills (such as Argon gas), sealed in the insulated glass unit at the point of manufacture, will not dissipate over time. Silver Line reserves the right to change product designs, specifications, details and pricing at any time without prior notification.



Grilles and Patterns

Our grilles-between-the-glass options are specially designed to enhance your home's décor and make cleaning your windows a breeze. Grilles are available in several different patterns that are sure to add style to any home.




Design Possibilities

Create a new and unique look for your home with one of our many styles and combinations, including:




1200 Series Double-Hung Window Features



For more information on Silver Line® windows and doors visit us at www.silverlinewindows.com or call us at 800.234.4228

Performance labels provide the U-Factor and SHGC ratings of a product. The lower the U-Factor, the more you'll save on heating bills. A low SHGC rating will help save on cooling costs. This window has been tested and certified to NFRC standards for energy efficiency.

Glass Type	No Grilles			Grilles		
	U-Factor	SHGC	ENERGY STAR	U-Factor	SHGC	ENERGY STAR
Clear	0.49	0.62	-	0.49	0.56	-
LoE2	0.36	0.33	-	0.36	0.30	-
LoE2 w/ Argon Gas	0.32	0.33	■	0.32	0.30	■ ■
LoE3	0.35	0.25	■ ■	0.35	0.23	■ ■
LoE3 w/ Argon Gas	0.30	0.25	■ ■ ■	0.30	0.23	■ ■ ■



Thermal data shown is for products with standard glass construction required to meet published Performance Grade or Design Pressure ratings.

This window has been tested to the AAMA/WDMA/CSA 101/I.S. 2/A440 standard for product performance. A product only achieves the resulting Performance Grade (PG) or Design Pressure (DP) rating if it complies with all the requirements in the standard (i.e. structural loading, air infiltration resistance, water penetration resistance, etc.). A higher PG or DP rating indicates the product has passed higher performance requirements to the AAMA/WDMA/CSA 101/I.S. 2/A440 testing standard.

Type	Size	Rating
Single	40" x 63"	PG 35
	48" x 72"	PG 20